

DEC 21 2007

Application Serial No.: 10/673,846

Amendment and Response to October 24, 2007 Final Office Action

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method, comprising:

interfacing an identity oriented context system that represents a context of a user based on a context of an entity with a device oriented context system that represents the context of the user based on a context of the device;

determining, by said device oriented context system, a device oriented context for a specific device associated with an identity, wherein said device oriented context provides an availability status of said specific device;

determining, by said identity oriented context system, an identity oriented context for said identity, wherein said identity oriented context provides an availability status of said identity;

determining an availability rule associated with said identity;

determining, for a specific time, a true availability of said identity based, at least in part, on said device oriented context for said specific device associated with said identity, said identity oriented context, said availability rule, and said specific time; and providing data indicative of said true availability of said identity.

2. (Previously Presented) The method of claim 1, further comprising receiving a request for information regarding true availability of said identity.

3. (Previously Presented) The method of claim 1, wherein said determining said true availability of said identity includes determining availability of said identity via at least two different media channels.

4. (Previously Presented) The method of claim 1, further comprising establishing said availability rule.

Application Serial No.: 10/673,846
Amendment and Response to October 24, 2007 Final Office Action

5. (Previously Presented) The method of claim 1, wherein said providing data indicative of said true availability of said identity includes displaying an interface indicative of said availability.

6. (Previously Presented) The method of claim 5, wherein said interface identifies said identity.

7. (Previously Presented) The method of claim 1, further comprising determining said identity.

8 - 14. (Canceled)

15. (Currently Amended) An article of manufacture comprising:
a computer readable medium having stored thereon instructions which, when executed by a processor, cause said processor to:

interface an identity oriented context system that represents a context of a user based on a context of an entity with a device oriented context system that represents the context of the user based on a context of the device;

determine, by said device oriented context system, a device oriented context for a specific device associated with an identity, wherein the device oriented context provides an availability status of the specific device;

determine, by said identity oriented context system, an identity oriented context for said identity, wherein the identity oriented context provides an availability status of the identity;

determine an availability rule associated with an identity;

determine, for a specific time, a true availability of said identity based, at least in part, on said device oriented context for said specific device, said identity oriented context, and said availability rule, and said specific time; and

provide data indicative of said true availability of said identity.

Application Serial No.: 10/673,846
Amendment and Response to October 24, 2007 Final Office Action

16. (Currently Amended) A system, comprising:

- a processor;
- a communication port coupled to said processor and adapted to communicate with at least one device; and
- a storage device coupled to said processor and storing instructions adapted to be executed by said processor to:
 - interface an identity oriented context system that represents a context of a user based on a context of an entity with a device oriented context system that represents the context of the user based on a context of the device;
 - determine, by said device oriented context system, a device oriented context for a specific device associated with an identity, wherein the device oriented context provides an availability status of the specific device;
 - determine, by said identity oriented context system, an identity oriented context for said identity, wherein the identity oriented context provides an availability status of the identity;
 - determine an availability rule associated with said identity;
 - determine, for a specific time, an availability of said identity based, at least in part, on said device oriented context for said specific device, said identity oriented context, said availability rule, and said specific time; and
 - provide data indicative of said availability of said identity.

17. (Previously Presented) The method of claim 1, wherein said identity is associated with a plurality of devices.